


Non Threaded Spacer



- Can be mounted by automatic machine.
- Can connect PCB and Chassis.
- Taping type has adsorption seal for vacuum pick. It needs to be removed after reflow.
- Mounter should have automatic recognition system.
- Adaptive PCB Thickness....1.6t (other PCB thickness applicable)
- Finish....Plated Sn over Ni base
- Material....Brass
- Recommended Metal Mask Thickness....150-200 μ m

High Torque Distribution Ltd, 6 & 7 Wren Court, Strathclyde Business Park, Bellshill ML4 3NQ, Scotland, UK.
Telephone: +44 (0)1698 749749 **Fax:** +44 (0)1698 749206 **Email:** sales@hightorque.biz
Web: www.hightorquefasteners.co.uk

VAT Number: GB817097808 **Company Registration Number:** SC249029

Fastener and Component Solutions

N/O	A	B	C	D	L	H	Package
THB-1.5-2	4.5	3.0	2.1	0.3	1.5	0	400
THB-2.1-2	4.5	3.0	2.1	0.3	2.1	0.5	400
THB-2.6-2	4.5	3.0	2.1	0.3	2.6	1.0	400
THB-3.1-2	4.5	3.0	2.1	0.3	3.1	1.5	400
THB-3.6-2	4.5	3.0	2.1	0.3	3.6	2.0	400
THB-4.1-2	4.5	3.0	2.1	0.3	4.1	2.5	400
THB-4.6-2	4.5	3.0	2.1	0.3	4.6	3.0	200
THB-5.1-2	4.5	3.0	2.1	0.3	5.1	3.5	200
THB-5.6-2	4.5	3.0	2.1	0.3	5.6	4.0	200
THB-6.1-2	4.5	3.0	2.1	0.3	6.1	4.5	200
THB-6.6-2	4.5	3.0	2.1	0.3	6.6	5.0	200
THB-1.5-2.6	5.0	3.6	2.7	0.3	1.5	0	400
THB-2.1-2.6	5.0	3.6	2.7	0.3	2.1	0.5	400
THB-2.6-2.6	5.0	3.6	2.7	0.3	2.6	1.0	400
THB-3.1-2.6	5.0	3.6	2.7	0.3	3.1	1.5	400
THB-3.6-2.6	5.0	3.6	2.7	0.3	3.6	2.0	400
THB-4.1-2.6	5.0	3.6	2.7	0.3	4.1	2.5	400
THB-4.6-2.6	5.0	3.6	2.7	0.3	4.6	3.0	200
THB-5.1-2.6	5.0	3.6	2.7	0.3	5.1	3.5	200
THB-5.6-2.6	5.0	3.6	2.7	0.3	5.6	4.0	200
THB-6.1-2.6	5.0	3.6	2.7	0.3	6.1	4.5	200
THB-6.6-2.6	5.0	3.6	2.7	0.3	6.6	5.0	200

High Torque Distribution Ltd, 6 & 7 Wren Court, Strathclyde Business Park, Bellshill ML4 3NQ, Scotland, UK.
Telephone: +44 (0)1698 749749 **Fax:** +44 (0)1698 749206 **Email:** sales@hightorque.biz
Web: www.hightorquefasteners.co.uk

VAT Number: GB817097808 **Company Registration Number:** SC249029

Fastener and Component Solutions

THB-1.5-3	5.5	4.0	3.1	0.3	1.5	0	400
THB-2.1-3	5.5	4.0	3.1	0.3	2.1	0.5	400
THB-2.6-3	5.5	4.0	3.1	0.3	2.6	1.0	400
THB-3.1-3	5.5	4.0	3.1	0.3	3.1	1.5	400
THB-3.6-3	5.5	4.0	3.1	0.3	3.6	2.0	400
THB-4.1-3	5.5	4.0	3.1	0.3	4.1	2.5	400
THB-4.6-3	5.5	4.0	3.1	0.3	4.6	3.0	200
THB-5.1-3	5.5	4.0	3.1	0.3	5.1	3.5	200
THB-5.6-3	5.5	4.0	3.1	0.3	5.6	4.0	200
THB-6.1-3	5.5	4.0	3.1	0.3	6.1	4.5	200
THB-6.6-3	5.5	4.0	3.1	0.3	6.6	5.0	200
THB-1.5-4	7.0	5.5	4.3	0.5	1.5	0	350
THB-2.1-4	7.0	5.5	4.3	0.5	2.1	0.5	350
THB-2.6-4	7.0	5.5	4.3	0.5	2.6	1.0	250
THB-3.1-4	7.0	5.5	4.3	0.5	3.1	1.5	250
THB-3.6-4	7.0	5.5	4.3	0.5	3.6	2.0	200
THB-4.1-4	7.0	5.5	4.3	0.5	4.1	2.5	200
THB-4.6-4	7.0	5.5	4.3	0.5	4.6	3.0	450
THB-5.1-4	7.0	5.5	4.3	0.5	5.1	3.5	450
THB-5.6-4	7.0	5.5	4.3	0.5	5.6	4.0	300
THB-6.1-4	7.0	5.5	4.3	0.5	6.1	4.5	300
THB-6.6-4	7.0	5.5	4.3	0.5	6.6	5.0	200

High Torque Distribution Ltd, 6 & 7 Wren Court, Strathclyde Business Park, Bellshill ML4 3NQ, Scotland, UK.
Telephone: +44 (0)1698 749749 **Fax:** +44 (0)1698 749206 **Email:** sales@hightorque.biz
Web: www.hightorquefasteners.co.uk

VAT Number: GB817097808 **Company Registration Number:** SC249029